

	Type	L #	Hits	Search Text	DBs
1	BRS	L36	3582	(280/734 or 280/735 or 280/728.1 or 280/730.1 or 280/802 or 180/268 or 180/273 or 180/282 or 180/271) and vehicle and (restraint or airbag or "seat belt")	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB
2	BRS	L43	19855 8	vehicle and (sensor or detector or transponder with (collision or impact or accident))	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB
3	BRS	L50	2224	36 and 43	USPAT ; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB

	Time Stamp	Comments	Error Definition	Errors
1	2002/12/12 09:46			0
2	2002/12/12 09:54			0
3	2002/12/12 09:54			0

	Type	L #	Hits	Search Text	DBs
4	BRS	L57	767	vehicle and (processor or "control unit" or controller or ECU with signal) and (deployment with ("air bag" or restraint))	USPAT; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB
5	BRS	L64	416	50 and 57	USPAT; US-PG PUB; EPO; JPO; DERWE NT; IBM_T DB

	Time Stamp	Comments	Error Definition	Errors
4	2002/12/12 10:02			0
5	2002/12/12 10:02			0